

MISSOURI PUBLIC SERVICE COMMISSION
MANUFACTURED HOUSING PROGRAM
APPROVED ANCHOR PRODUCTS

HOME PRIDE 800-759-5910

MODEL	MARK	DESCRIPTION	TEST VALUE ANCHOR PROBE (inch lbs.)
HP-3	HP-3	Double 4" Helix 3/4" x 30" Auger Anchor w/HP32 Stab. Plate	350 inch lbs. & above
HP-3	HP-3 *	Double 4" Helix 3/4" x 30" Auger Anchor w/HP30 Stab. Plate	350 inch lbs. & above
HP-3	HP-3	Double 4" Helix 3/4" x 30" Auger Anchor w/HP34 Stab. Plate	380 inch lbs. & above
HP-4	HP-4 *	6" Helix 5/8" x 48" Auger Anchor w/ HP30 Stab. Plate	240 inch lbs. & above
HP-5	HP-5 *	6" Helix 3/4" x 48" w/ HP30 Stab. Plate	240 inch lbs. & above
HP-10	HP-10 *	36" Cross Drive Rock Anchor	Solid Rock Only
HP-11	HP-11 *	48" Cross Drive Rock Anchor	Solid Rock Only
HP-17	HP-17	4" & 6" Helix 3/4" x 36" w/HP32 Stab. Plate	300 inch lbs. & above
HP-17	HP-17 *	4" & 6" Helix 3/4" x 36" w/HP30 Stab. Plate	275 inch lbs. & above
HP-17	HP-17	4"/6" Helix 3/4" x 36" w/HP34 Stab. Plate	275 inch lbs. & above
HP-13	HP-13 *	J Hook Concrete Anchor	Concrete Only
HP-14	HP-14 *	J Hook Concrete Anchor w/Swivel Head	Concrete Only
HP-12-LS	HP-12 *	Steel Expansion Concrete Anchor	Concrete Only
HP-20	HP-20	Double-Slot Buckle Frame Tie	
HP-21	HP-21	Single-Slot Buckle Frame Tie	
HP-22	HP-22	Frame Tie w/Hook	
HP-30	HP-30	Stabilizer Plate	
HP-32	HP-32	Stabilizer Plate	
HP-34	HP-34	Stabilizer Plate	
HPAB	Home Pride, Inc.	AB Anchor Bolt	
HPSS	Home Pride, Inc.	Strap Splice Seal	
	Home Pride, Inc.	Galvanized Steel Strapping	

* These anchors are approved for vertical pull.

STANDARDS FOR INSTALLATION:

1. Anchors and all components must be installed per manufacturer's instructions.
2. Anchors are approved for designated soil per test value in inch pounds.
3. Consult manufactured home set up instructions for number of frame tie downs, over the roof tie downs, and tie down spacing.
4. Systems must be approved for use by the home manufacturer.

All single section homes require an approved anchor for the soil within two feet of each corner.

*MUST BE A LICENSED INSTALLER WITH THE PUBLIC SERVICE COMMISSION
TO ANCHOR NEW HUD HOMES PURSUANT TO 700.656*

Revision Date: September, 2013